

Notice of Allowability	Application No.	Applicant(s)	
	09/926,220	SAINI ET AL.	
	Examiner	Art Unit	
	Amanda H Merlino	2877	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 8/19/03.
2. ☒ The allowed claim(s) is/are 1, 5-7 and 9-18.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☐ CORRECTED DRAWINGS must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892) | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____ |
| 5 <input type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. _____ | 6 <input type="checkbox"/> Examiner's Amendment/Comment |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |

Reasons for Allowance

As to claims 1, 5-7, and 9-11, the prior of record, taken alone or in combination, fails to disclose or render obvious a method of monitoring for the presence of hydrophobic liquid at a site comprising the step of locating at said site a sensor assembly which comprises a polyvinylidene fluoride membrane which is adapted to take up hydrophobic liquid from the site, in combination with the rest of the limitations of claim 1.

As to claims 12-18, the prior of record, taken alone or in combination, fails to disclose or render obvious an apparatus of monitoring for the presence of hydrophobic liquid at a site comprising a hydrophobic element comprising a polyvinylidene fluoride membrane which is disposed so that in use it is exposed to the environment at a sensing location and which is adapted to take up hydrophobic liquid, in combination with the rest of the limitations of claim 12.

Examiner notes that applicant's arguments about "unexpected results" in combination with the evidence provided in attachment A of the applicant's response to examiner's office action was sufficient to overcome the 103 rejection.

Conclusion

Papers related to the application may be submitted to Group 2800 by Fax transmission. Papers should be faxed to Group 2800 via the PTO Fax Machine located in Crystal Plaza 4. The form of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The CP4 Fax Machine number is:

703-872-9306

Application/Control Number: 09/926,220
Art Unit: 2877

Page 3


If the applicant wishes to send a Fax dealing with a Proposed Amendment for discussion for a phone interview then the fax should:

- 1) Contain either the statement "DRAFT" or "PROPOSED AMENDMENT" on the Fax Cover Sheet; and
- 2) Should be unsigned by the attorney or agent.

This will ensure that it will not be entered into the case and will be forwarded to the examiner as quickly as possible.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to *Examiner Amanda H. Merlino* whose telephone number is (703) 305-3488. The examiner can be reached on Mondays and Thursdays only.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-0956.

Amanda H. Merlino 
Patent Examiner
Art Unit 2877
November 6, 2003/ahm


FRANK G. FONT
SUPERVISORY PATENT
EXAMINER